Fire Prevention Inspection Checklist

AUDIT VERIFICATION
Staff name
Signature
FIRE CODE REQUIREMENTS
At all times, are worksites equipped with fire fighting material?
Is firefighting material easily accessible?
Yes No NA
Please upload any relevant images
Is firefighting equipment inspected per Government rules?
Yes No NA
Please specify last inspection date DATE
2017-01-01

Please specify last inspection time
Does fire extinguisher meets any one of the following criteria: 1. no less than 2A rating 2. 55-gallon open drum of water with at least 2 fire buckets provided per 3,000 sq. ft. of building area
Is there a distance of more than 100 feet to reach fire extinguishing equipment?
Did you notice extinguishers with a rating of 2A or greater on each floor of the building? Yes No NA
Did you notice at least one fire extinguisher next to the staircase?
Is firefighting material kept out of freezing conditions of 0 degrees Celsius or 32 degrees Fahrenheit?
Are there more than 5 gallons of flammable liquids, or 5 pounds of flammable gas? Yes (flammable materials present) No flammable materials present NA
FIRE SAFETY
Is there an adequate distance between Exhausts from engine powered equipment and explosive material? Yes No NA

Is piping at least 6 inches away from the explosive material where engine exhausts are lined outside the worksite area?
Are explosive materials are piled up lower than 20 feet?
Is the lawn suitably kept in place with periodic and scheduled work-yard cleanup?
Is there atleast 10 feet distance between explosive materials and the indoor worksite? Yes No NA
The storage of materials DOES NOT obstruct any exits within indoor work site? 1. Answer YES if exits are open 2. Answer NO if any exits are obstructed by stored material Yes No
Is the material storage in the work structure setup in a way that minimizes the spread of fire?
Is there enough space between heat-producing objects?
Did you notice enough space between construction supplies (at least 36 inches away) and the fire door? Yes No NA